



esac

European Space Astronomy Centre
Camino bajo de Castillo S/N
28692 Villanueva de la Canada
Madrid
Spain
T +34 91 8131 100
F +34 91 8131 139
www.esa.int

DOCUMENT

SOC-Provided Ancillary Data for Solar Orbiter

Prepared by Andrew Walsh
Reference SOL-SGS-TN-0017
Issue 0
Revision 2
Date of Issue 18/09/2017
Status Draft
Document Type TN
Distribution Instrument Teams; Project Scientists; SOC; MOC; ESAC SPICE Service



APPROVAL

Title	
Issue 0	Revision 2
Author	Date 18/09/2017
Approved by	Date

CHANGE LOG

Reason for change	Issue	Revision	Date
Update following first 'preview' release of SPICE Kernel dataset	0	2	18/09/2017

CHANGE RECORD

Issue 0	Revision 2		
Reason for change	Date	Pages	Paragraph(s)
Added specifics of how roll timing will be handled in predictive attitude kernels	18/09/2017	11	3.3.1
Updated expected quaternion cadence from 60 to 300s, added discussion of how extra quaternions will be introduced at the start of manoeuvres	18/09/2017	12	3.3.2
Added discussion of dependency between spacecraft clock and attitude kernels	18/09/2017	12	3.3.3
Complete update of reference frames discussion	18/09/2017	12	3.4
Addition of section on metakernels & versioning	18/09/2017	16	3.5



Table of contents:

1	INTRODUCTION	4
1.1	Applicable Documents	4
1.2	Reference Documents	4
1.3	List of Acronyms and Abbreviations	6
2	SUMMARY OF ANCILLARY DATA PRODUCTS	7
3	SPICE-BASED ANCILLARY DATA PRODUCTS	8
3.1	Time Conversion Products.....	8
3.1.1	Fictional Spacecraft Clock Kernel	8
3.1.2	Spacecraft Clock Kernel.....	9
3.2	Spacecraft Orbit Products.....	10
3.3	Spacecraft Attitude Products	10
3.3.1	As-Planned Attitude Kernels	10
3.3.2	As-Flown Attitude Kernel.....	11
3.3.3	A Note on Attitude Kernels and the Spacecraft Clock.....	12
3.4	Coordinate System and Reference Frame Products	12
3.4.1	Scientific Reference Frames Kernel	12
3.4.2	Spacecraft and Instrument Reference Frames	13
3.4.2.1	SOLO_SRF – “Spacecraft Coordinates”	14
3.4.2.2	SOLO_FOF and SOLO_INS_BOOM – “Alignment frames”	15
3.4.2.3	Instrument Frames	16
3.4.2.4	Instrument Fields-of-View	16
3.5	Metakernels and Versioning.....	16
4	CDF ANCILLARY DATA PRODUCTS	18
4.1	Spacecraft Orbit Digest	18
4.1.1	Orbit Digest CDF Variables and Attributes	18
4.2	Spacecraft Attitude Products	18
4.2.1	Predicted Roll Angle File	19
4.2.1.1	Predicted Roll Angle CDF Variables and Attributes.....	19
4.2.2	As-Flown Roll Angle File	19
4.2.2.1	As-Flown Roll Angle CDF Variables and Attributes.....	20
5	DISTRIBUTION OF ANCILLARY DATA PRODUCTS	21
	APPENDIX A	22
	APPENDIX B	24



1 INTRODUCTION

Ancillary data products are those products that are not strictly science data, but are still helpful in scientific analysis or the preparation of higher-level science data products, for example an orbit file containing the position and velocity of the spacecraft. For Solar Orbiter, the Science Operations Centre (SOC), based at ESAC near Madrid has the responsibility of producing those ancillary data products that are not relevant to only a single instrument, and that are not based on instrument telemetry, but rather platform telemetry (e.g. AOCS parameters in housekeeping) or other data available on ground. This is not only to reduce duplication of effort, but also to ensure consistency in the ephemerides etc. that are used in producing the higher-level science data products on the ground, and therefore make multi-instrument data analysis as simple as possible.

The purpose of this document is to describe the content and format of the various ancillary data products that will be produced by the Solar Orbiter SOC, and explain how they will be distributed to the rest of the Science Ground Segment (SGS) and the broader scientific community.

1.1 Applicable Documents

AD1	SOL-SGS-TN-0009	Metadata Definition For Solar Orbiter Science Data	Iss 2. Rev 2.
-----	-----------------	--	---------------

1.2 Reference Documents

RD1	SPICE Toolkit user guide (https://naif.jpl.nasa.gov/naif/documentation.html)	N65
RD2	SOL-SGS-ICD-0004 Solar Orbiter Interface Control Document for Low Latency Data CDF Files	Iss 1. Rev 2.
RD3	SOL-SGS-ICD-0002 Solar Orbiter Data Producer to Archive ICD	Iss 0. Rev 2.
RD4	SOL.S.ASTR.TN.00079 Solar Orbiter TM-TC and Packet Structure ICD	Iss 7.
RD5	1.2.1.1.1.1 CDF (http://cdf.gsfc.nasa.gov/html/cdf_docs.html)	Documentation 3.6.3
RD6	SOL-SGS-ICD-0009 File Transfer SOC – Instrument Teams ICD	Iss 0. Rev 3.
RD7	SOL-SGS-ICD-0005 Solar Orbiter Interface Control Document for Low Latency Data FITS Files	Iss 1. Rev 2.
RD8	SOL-SGS-TN-0015 The Effect of Solar Orbiter Spacecraft Attitude on EPD and SWA Science Return	Iss 1. Rev 0.



RD9 SOL.S.STR.TN.00099, Solar Orbiter Coordinate System Iss 5.
Document EN-14



1.3 List of Acronyms and Abbreviations

AOCS	Attitude and Orbit Control System
CDF	Common Data Format
DDS	Data Distribution System
ESA	European Space Agency
ESAC	European Space Astronomy Centre
ESOC	European Space Operations Centre
FECS	Flight Events and Communications Skeleton
GAM	Gravity Assist Manoeuvre
GFTS	Generic File Transfer Service
LL	Low Latency (Data)
LLo2	Low Latency Level 2
MOC	Mission Operations Centre
NAIF	Navigation and Ancillary Information Facility
NASA	National Aeronautics and Space Administration
OBT	On Board Time (used interchangeably with SCET)
OEM	Orbit Ephemeris Message
PTR	Pointing Request
SCET	Spacecraft Elapsed Time (used interchangeably with OBT)
SFTP	Secure File Transfer Protocol
SGS	Science Ground Segment (SOC + Instrument Teams)
SOAR	Solar Orbiter Archive
SOC	Science Operations Centre
UTC	Coordinated Universal Time



2 SUMMARY OF ANCILLARY DATA PRODUCTS

SOC will primarily produce ancillary data products for and using the SPICE toolkit, provided by NAIF. The SPICE toolkit and associated data files ('kernels') have been successfully used on many ESA and NASA solar system science missions in the past. Detailed documentation [RD1] for the SPICE software can be found on the NAIF Website¹ and is also accessible via the ESA SPICE Service². SOC will produce SPICE kernels that will provide the following:

- The position and orbital velocity of the Solar Orbiter spacecraft.
- Spacecraft attitude.
- The conversion between SCET and UTC.
- A frames kernel that will allow for the transformation of data between spacecraft coordinates, instrument coordinates and various heliophysical coordinate systems.
- Operational misalignments for the remote sensing instruments.
- Instrument kernels that define fields of view.

SOC will distribute the operational misalignments for the remote sensing primarily as a record of the misalignments used in the production of LLO2 data [RD7] and generation of PTRs. In situ instrument alignments are expected to be stable enough relative to the angular resolution of the data such that fixed rotation matrices, included in the LL data files themselves [RD2] will be used and a separate product will not be necessary.

SOC will not produce products that will allow for the transformation of data between instrument coordinates and spacecraft coordinates to a level of accuracy suitable for scientific analysis for the simple reason that we will not have the expertise to produce them. Furthermore, unlike for some other solar system missions, instrument teams are expected to provide Level 2 science data products to the SOAR that are already in either spacecraft or heliophysical coordinate systems, as appropriate, and that have the necessary metadata such that they are suitable for scientific analysis without reference to SPICE kernels [RD3, AD1]. Our SPICE-based ancillary products are primarily designed to aid in the production of L2 and higher-level science data by the instrument teams.

In addition to the ancillary data products in SPICE format, SOC will produce a more limited set of ancillary data in CDF format. These products will provide a summary or digest of the spacecraft orbit and roll angle, and are intended for use as a quick reference by the SGS during planning, and also for basic situational awareness as a complement to the low latency data.

¹ <https://naif.jpl.nasa.gov>

² <https://www.cosmos.esa.int/web/spice>



3 SPICE-BASED ANCILLARY DATA PRODUCTS

The primary format in which SOC will distribute ancillary data is the SPICE format. SPICE is a comprehensive toolkit and set of data files specifically designed for common tasks involving ancillary data for solar system missions [RD1]. The following describes the SPICE-based ancillary products produced by SOC. We do not attempt here to discuss the full capabilities of SPICE and the comprehensive uses of each type of SPICE data file (kernel), which are well documented elsewhere, but rather focus on the specific SPICE kernels that we will produce. It is recommended that for any operational software that requires SOC ancillary data, the SPICE kernels rather than the CDF products are used.

3.1 Time Conversion Products

While a UTC packet time is available in the SCOS2000 headers of packets retrieved from the DDS, this information is not available for any acquisition times (for example) held within the data field of the packet. In the case of some instrument teams these acquisition times may be significantly different from the time at which the packet was created and as such the conversion between UTC and OBT for the data within the packet may not be the same as that in the packet header. As such SOC will provide a means of conversion between SCET and UTC for use by all instrument teams in the production of their data: the time correlation. This will ensure conversion to UTC is applied consistently across all data and will aid in multi-instrument data analysis. SOC will provide this time correlation as a SPICE kernel.

In SPICE, the conversion between onboard time (SCET/OBT) and UTC is carried out via a spacecraft clock kernel (sclk). These kernels as produced for Solar Orbiter essentially contain pairs of correlated SCET and UTC times and the time conversion is linearly interpolated between these pairs. SOC will provide two spacecraft clock kernels, a so-called 'fictional' clock kernel for use before launch and for predictive products and the operational clock kernel, which will be based on empirical time correlation data determined at MOC. A reference implementation in Python explaining the use of the spacecraft clock kernel can be found in APPENDIX A.

3.1.1 Fictional Spacecraft Clock Kernel


In order for many of the SPICE APIs to function properly a spacecraft clock kernel needs to be loaded and available, even if a real time correlation is not available. The fictional spacecraft clock kernel fulfils this need and simply contains a 1:1 correlation between on-board coarse time ticks and UTC seconds, with zero seconds defined as 00:00:00 UTC on 1 January 2000 [RD4]. The fictional spacecraft clock kernel will be produced once and has the filename

```
solo_ANC_soc-sclk-fict_20000101_V01.tsc
```




3.1.2 Spacecraft Clock Kernel

The ‘real’ spacecraft clock kernel will be produced at SOC whenever a new time correlation is published by MOC. Each kernel will cover the entirety of the mission to date (see below). A new time correlation will be published when the instantaneous SCET-UTC conversion drifts by more than 5ms (TBC) from the currently published correlation. MOC time correlations are essentially straight-line segments ($UTC = m * SCET + c$) that have an earliest valid time and are considered to be valid until the next segment starts. This means that the MOC time correlation is discontinuous, which is not allowed by SPICE. As such, when producing the SPICE kernel, SOC will insert an extra segment, joining two MOC segments together. This is illustrated in **Error! Reference source not found.** Adopting this approach, made necessary by using SPICE, means that for short periods near the start of a new MOC time correlation (~60 s) SGS and MOC time correlations will be slightly different. The same technique has been used successfully for Rosetta.



The spacecraft clock kernel will be named according to [AD1] as follows:

solo_anc_soc-sclk_YYYYMMDD_v01.tsc

Here YYYYMMDD represents the the most recent time correlation pair in the file.

While SCET-UTC conversions for times after the most recent time correlation pair in the file are possible, for planning purposes these ought to be avoided. The relationship between SCET and UTC can change with new information (a new leap second kernel or new time-correlation data). Thus only historical conversions are stable. There should be no planning need to predict the relationship of OBT to UTC into the future, so the fictional clock kernel



can be used when SPICE requires a `sclk`. It is recommended that any science data be reprocessed once a stable time correlation for their acquisition time is available.

3.2 Spacecraft Orbit Products

SOC will produce a single orbit SPICE kernel (`spk`) from ESOC-provided OEM files for the entire mission, unless the required time resolution makes this unmanageable. This will be updated whenever ESOC produces a new OEM file. Since Solar Orbiter's trajectory is essentially ballistic it is expected that this will be after launch and subsequently after each GAM. The spacecraft state vector (position and velocity) can be obtained from the `spk` at an arbitrary time resolution in any coordinate system known to SPICE.

The `spk` will be named as follows:

```
solo_ANC_soc-orbit_YYYYMMDD-YYYYMMDD_VOEM_VNN.bsp
```

Here YYYYMMDD-YYYYMMDD refers to the start and end validity of the file, VOEM a reference to the version of the OEM file used to create the kernel (exact format TBC by flight dynamics) and VNN the version number of the kernel produced *from that source OEM*.

3.3 Spacecraft Attitude Products

SOC will provide three different spacecraft attitude products, two as-planned attitude kernels and one as-flown kernel. An attitude SPICE kernel is known as a 'ck'.

3.3.1 As-Planned Attitude Kernels

The two predicted attitude kernels produced by SOC assume that the spacecraft will be pointed at the centre of the solar disk.

The first as-planned attitude kernel will cover the entire length of the mission and will also assume that the spacecraft will have its default roll-angle. This kernel will have 1-hour resolution and will be updated with the same frequency as the orbit kernel. It will be named as follows:

```
solo_ANC_soc-default-att_YYYYMMDD-YYYYMMDD_VOEM_VNN.bc
```

Here YYYYMMDD-YYYYMMDD, VOEM and VNN have the same meanings as for the orbit file..

The second as-planned attitude kernel will assume disk-centre pointing but will also include spacecraft rolls for communications or calibration purposes. There will be one file for each six month planning period, based on the FECS issued by MOC. They will be distributed approximately 6 months in advance of the start of that planning period. They will also be updated whenever the orbit kernel is updated. These kernels will nominally have 5-minute time resolution and will be named as follows



solo_ANC_soc-pred-roll_YYYYMMDD-YYYYMMDD_VOEM_VFECS_VNN.bc

Here YYYYMMDD-YYYYMMDD, VOEM and VNN have the same meanings as for the orbit file, VFECS identifies the source FECS file from which the roll information was taken..

Rolls will be handled according to the following rules:

- A new data point will be inserted at the time corresponding to the start of any roll event with the attitude at the start of the roll.
- A new data point will be inserted at the time corresponding to the end of any roll event with the attitude at the end of the roll.
- In the case that the duration of the roll is less than five minutes, no further datapoints will be inserted.
- In the case that the duration of the roll is greater than five minutes, intermediate data points will be inserted at the usual five minute intervals (00:00, 00:05...), assuming a constant roll rate across the duration of the event.
- This is illustrated graphically below, for a 2 minute roll commencing at 12:06 and a fifteen minute roll commencing at 12:27.




Figure 3-2 An example of how rolls will be handled in the predictive roll attitude kernel.

3.3.2 As-Flown Attitude Kernel

Contrary to some other missions, for Solar Orbiter predicted spacecraft attitude is not made available by flight dynamics at ESOC. This is because spacecraft pointing is decided comparatively late. As such the complete, detailed attitude (not just roll angle) information made available by SOC will be based on quaternions returned in housekeeping data from the AOCS. SOC will produce the as-flown attitude kernel from these quaternions and will have their native time resolution, 300 s (Details TBC). The as-flown attitude kernel will be produced daily and will have the following file name:



```
solo_ANC_soc-flown-att_YYYYMMDD_VNN.bc
```

Here YYYYMMDD represents the date for which the file is valid. Note that it is still TBC whether or not there will be one file per day or if existing files will be extended in duration such that there are fewer, but larger attitude kernels.

Similarly to the predictive roll kernel, described above, additional data points will be introduced at the start times of manoeuvres in the as-flown kernel, although this will by necessity involve extrapolating the spacecraft attitude from the most recent real quaternion, based on the contemporaneously active pointing type.

3.3.3 A Note on Attitude Kernels and the Spacecraft Clock

Attitude data are stored internally to the kernels in terms of onboard time, and as such are associated with a particular spacecraft clock kernel. The predictive attitude kernels require a spacecraft clock kernel to be specified in their production since their definition is based on the spacecraft position and velocity, which is stored relative to ephemeris time in the orbit kernel.

Although the spacecraft clock kernels extrapolate into the future, and as such the predictive attitude kernels could be associated with the real spacecraft clock, this would necessitate their regeneration whenever the time correlation is updated. Instead we will produce the predictive attitude kernels based on the fictional clock, since any use cases involving them do not require knowledge of on board time.

SOC will maintain separate metakernels (see Section 3.5) for the predictive and as-flown datasets to aid switching between them.

3.4 Coordinate System and Reference Frame Products

SOC will produce SPICE kernels with instrument and spacecraft coordinate system and reference frame information, as well as scientific reference frame information.

3.4.1 Scientific Reference Frames Kernel

Relevant scientific reference frames will be provide as a text-based fk file that will be named as follows:

```
solo_ANC_soc-sci-fk_V00.tf
```

And will contain those scientific coordinate systems on the following list:

HCI - Heliocentric Inertial



HEE - Heliocentric Earth Ecliptic
 HAE - Heliocentric Aries Ecliptic
 GAE - Geocentric Aries Ecliptic
 GSE - Geocentric Earth Ecliptic
 HEEQ- Heliocentric Earth Equatorial (this is the same as Stonyhurst)
 IAU_Sun (whichever of the pre- and post- 2006 variants NAIF have not implemented)
 Carrington³
 RTN - Radial Tangential Normal
 Spacecraft Centric Mirror Helioprojective

Wherever possible we will adopt the same naming conventions for frames as existing community SPICE kernels. Any reference frames that are defined identically to those in the upcoming (at time of writing) NAIF generic frames kernel will not be implemented. Note that ecliptic-based frames for Solar Orbiter will be defined relative to the ecliptic of J2000. This is contrary to the NAIF approach of using ecliptic of date. If there is demand we can implement both.

Detailed definitions of the scientific coordinate systems are given in APPENDIX B.

3.4.2 *Spacecraft and Instrument Reference Frames*

Spacecraft and instrument reference frames will also be provided through a variety of different kernel files, all frames are defined in text-based *fk* files as for the scientific coordinate systems. This is all that is required for some frames (so-called “fixed” and “dynamic” frames), while others will also need *ck* files, similar to the attitude kernels, because they are time-varying in nature. Note that, similarly for the attitude kernels (also *cks*) there will be two versions of each frame *ck*: one produced using the fictional spacecraft clock and one using the real spacecraft clock.

The basic frame hierarchy is explained diagrammatically below, and in complete detail in the top-level frame kernel:

```
solo_anc_soc-sc-fk_v01.tf
```

³ It is likely that Carrington coordinates cannot be handled by SPICE natively. In this case we will provide a reference implementation for producing Carrington coordinates from the SPICE kernels (TBC).




Figure 3-3 Simplified spacecraft and instrument frames hierarchy

Other frames (e.g. star tracker, HGA frames) are included in the file for completeness however these are not described here.

3.4.2.1 SOLO_SRF – “Spacecraft Coordinates”

SOLO_SRF (Solar Orbiter Spacecraft Reference Frame) is the name of the reference frame that is commonly referred to as spacecraft coordinates and is defined in [RD9]. It is a



Cartesian frame centred on the point of intersection of the launcher longitudinal axis with the separation plane between the launcher and the composite, and has the following components:

- X points along the longitudinal axis of the spacecraft, positive towards the heat shield.
- Z points perpendicular to the launcher interface plane, positive towards the face of the spacecraft containing the MGA and one of the RPW antennae.
- Y completes the right handed set.

By default, assuming no off-points or rolls, SOLO_SRF_X will point towards the centre of the Sun; SOLO_SRF_Z will point normal to the plane of the orbit, positive towards solar north; SOLO_SRF_Y will complete the right-handed set, opposing the direction of motion of the spacecraft.

That said, the relationship between SOLO_SRF and J2000 can be specified in different ways depending on the desired application. **For most users, the link should be made by loading one of the spacecraft attitude kernels (see Section 3.3).** However, it is also possible to explore the characteristics of various possible default attitudes (see, for example [RD8]) through linking any of

SOLO_ORBIT_NORM
SOLO_ECLIP_NORM
SOLO_EQUAT_NORM

To SOLO_SRF.

SOLO_ORBIT_NORM represents the default attitude defined above. In the case of SOLO_ECLIP_NORM, SOLO_SRF_Z is held perpendicular to the plane of the ecliptic. In the case of SOLO_EQUAT_NORM, SOLO_SRF_Z is held perpendicular to the heliographic equatorial plane.

These three frames are defined in

`solo ANC_soc-ops-fk_V01.tf`

Full instructions for their use can be found in that file.

3.4.2.2 SOLO_FOF and SOLO_INS_BOOM – “Alignment frames”

SOLO_FOF, the “flight optical frame” and SOLO_INS_BOOM the instrument boom frame are both ck-based frames that can vary in time and have been introduced so that any systematic misalignments of the remote sensing instruments (for SOLO_FOF) or imperfect



deployment of the instrument boom⁴ (SOLO_INS_BOOM) can be taken into account in a consistent way without the need to update several instrument frames directly.

The transformation between SOLO_SRF and SOLO_FOF will be the identity matrix at launch and will be updated in flight should a systematic misalignment of RS instrument bore sights from nominal be detected. Similarly, SOLO_INS_BOOM is currently as defined in [RD9] and will be updated if data analysis reveals the true orientation of the instrument boom post-deployment.

Note that these frames are designed as coarse adjustments primarily to be used internally by SOC in operations. Instrument teams are much better placed to determine fine misalignments of their instruments to higher accuracy, and take these into account in the production of their science data, but of course these can be used as a starting point.

3.4.2.3 Instrument Frames

A set of reference frames for each instrument, based on their respective EID-Bs, have also been defined. These are documented within the frames kernel so are not discussed in here, apart from the note that they are fixed relative to the most relevant of SOLO_SRF, SOLO_FOF and SOLO_INS_BOOM: SOLO_SRF for body-mounted in situ instruments (e.g. the EPD sensors, RPW-ANT); SOLO_FOF for remote sensing instruments mounted on the main optical bench and SOLO_INS_BOOM for boom-mounted instruments (e.g. MAG, SWA-EAS).

3.4.2.4 Instrument Fields-of-View

SOC will also produce simple instrument kernels containing field of view information only for use in SOC operational tools. It is expected that these remain will fixed throughout the mission. They should not become repositories of information about the instruments themselves, as is the case for some planetary missions.

3.5 Metakernels and Versioning

Metakernels are a way of loading a self-consistent dataset with a single command. They are essentially an ASCII file containing a list of other kernels to load, and are how we will manage version control: If a user has access to the entire Solar Orbiter SPICE kernel dataset and loads the most recent metakernel, they will automatically be using the most recent versions of each kernel.

⁴ It is likely that SOLO_INS_BOOM will be replaced by two frames – one for each boom segment – in the future.



SOC will maintain two metakernels: One for the predictive dataset, and one for the as-flown dataset. This is necessary because of the different spacecraft clocks used in the production of the attitude kernels (Section 3.3.3). By default the metakernels will not map any of SOLO_ORBIT_NORM, SOLO_ECLIP_NORM and SOLO_EQUAT_NORM to SOLO_SRF (Section 3.4.2.1).

The predictive attitude metakernel will be named as follows:

```
solo ANC_soc-pred-mk_VNNN_YYYYMMDD_XXX.tm
```

The as-flown metakernel will be named as follows:

```
solo ANC_soc-flown-mk_VNNN_YYYYMMDD_XXX.tm
```

The three last fields in the file relate to versioning:

VNNN indicates the version of the *kernel dataset* (e.g V020). This is incremented whenever there are changes to “rarely produced” kernels. These include all of the ASCII kernels (aside from the metakernel itself), the orbit kernel and other binary kernels that have a valid duration of the entire mission.

YYYYMMDD indicates the production date of the metakernel. This is incremented whenever a more rapidly varying kernel is updated or newly included in the metakernel, e.g. the spacecraft clock or as-flown attitude kernels.

XXX indicates the version of the metakernel produced *on that day*. This will almost always be 001, but could be incremented should an error in processing occur, or if there are two communications passes on a single calendar day, for example, and hence two updates to the as flown attitude kernels.

Note that in the case of the predictive metakernel, all available predictive roll kernels will be loaded after the default attitude kernel, this will have the effect of ensuring the predictive roll information is used where it exists, and default attitude where it does not. In order to avoid including predictive roll information, the science operations frames (SOLO_ORBIT_NORM etc.) can be used.



4 CDF ANCILLARY DATA PRODUCTS

The following describes the ancillary data products that SOC will provide in CDF format. Following the Solar Orbiter Metadata standard [AD1], CDF products will be of CDF version > 3.6 [RD5].

4.1 Spacecraft Orbit Digest

SOC will produce a single ‘orbit digest’ file for the entire mission from the Solar Orbiter SPK, which in turn will be based on the OEM orbit file produced by the Solar Orbiter MOC at ESOC. Since, between GAMs, Solar Orbiter’s orbit is essentially ballistic, it is anticipated that this file will not need to be updated with high cadence, and as such a new version will be nominally be issued after launch and after each GAM.

The orbit digest will follow the Solar Orbiter metadata standard and its filename will have the format:

```
solo_ANC_soc-orbit_YYYYMMDD-YYYYMMDD_V01.cdf
```

Where YYYYMMDD-YYYYMMDD represents the start date and end date of the coverage of the file.

The orbit digest will contain the following parameters at 1-hour resolution:

- HCI Position, XYZ, km.
- HCI Velocity, XYZ, km/s.
- HEE Position XYZ, km.
- Spacecraft Heliocentric distance.
- Spacecraft Heliographic latitude.
- Spacecraft HCI longitude.
- Spacecraft Carrington Heliographic longitude.
- Angle between Sun-spacecraft line and its projection on the ecliptic plane.
- Angle between projection of Sun-spacecraft line on the ecliptic plane and the Sun-Earth line.

The ecliptic of J2000 will be used in defining the orbit digest file. See APPENDIX B for the definition of the HCI, HEE and Carrington Heliographic coordinate systems.

4.1.1 Orbit Digest CDF Variables and Attributes

TBW

4.2 Spacecraft Attitude Products

SOC will produce two attitude products in CDF format. These are intended to provide simple information about the predicted and as-flown spacecraft roll angle. Here rolls are



around spacecraft X and roll angle is defined as the angle between the spacecraft Z-axis and the zero roll reference. The zero roll reference is currently spacecraft Z parallel to the normal of the spacecraft orbital plane. If the spacecraft baseline attitude is not changed such that the spacecraft XY plane is held parallel to the ecliptic or solar equatorial plane [RD8] we will add the projection of solar north on the spacecraft YZ plane to the roll digest files (TBC). Rolls are defined as positive around spacecraft +X. Spacecraft offpoints will not be included in the CDF attitude products since these will nominally be less than 1 degree, and LLO2 data and L2 science data should have taken already these into account. For applications that require detailed pointing information, the SPICE kernels should be used. If possible, a quality flag showing periods of non-nominal pointing (i.e. contingency cases) will be included in the as-flown roll angle file (TBC).

4.2.1 Predicted Roll Angle File

The predicted roll angle file will be issued per medium term planning period (~6 months: Jan-Jun, Jul-Dec), approximately 6 months in advance of the beginning of that planning period. It will contain the expected spacecraft roll angle that results from the long-term planning process. It will be produced based on the predicted roll angle CK, which is itself produced from the FECS issued by the Solar Orbiter MOC at ESOC. It will have 5-minute resolution.

The predicted roll angle file will follow the Solar Orbiter metadata standard and will be named as follows:

```
solo_ANC_soc-pred-roll_YYYYMMDD-YYYYMMDD_V01.cdf
```

Where YYYYMMDD-YYYYMMDD represents the start date and end date of the coverage of the file. This is equivalent to the predicted roll SPICE kernel.

4.2.1.1 Predicted Roll Angle CDF Variables and Attributes

TBW

4.2.2 As-Flown Roll Angle File

One as-flown roll angle file will be issued per calendar day, and will be produced a few hours after the end of each communications pass. It will contain the actual spacecraft roll angle that was flown. It will be produced based on the flown-attitude CK, which is itself produced from spacecraft housekeeping. It will have the native resolution of the housekeeping data from which it is derived, 60-seconds (TBC).

The as-flown roll angle file will follow the Solar Orbiter metadata standard and will be named as follows:

```
solo_ANC_soc-flown-roll_YYYYMMDD_V01.cdf
```

Where YYYYMMDD represents the date of the coverage of the file.



4.2.2.1 As-Flown Roll Angle CDF Variables and Attributes

TBW



5 DISTRIBUTION OF ANCILLARY DATA PRODUCTS

The primary distribution channel of SOC ancillary products to the instrument teams will be via GFTS [RD6], whereby as files are produced they will be pushed from SOC to the GFTS nodes located at instrument team premises. The files will be distributed via GFTS first and the most recent files will always be available via this mechanism. As such, any operational workflows that require SOC ancillary data should be designed with this in mind.

The CDF orbit digest and as-flown roll angle files will also be available via the public and private instances of the SOC low latency display tool/website, as will visualisations of a subset of their parameters (details TBD).

Solar Orbiter SPICE kernels will also be made available to the broader scientific community via the ESA SPICE Service SFTP server, although not necessarily immediately after their production, and will be usable via the ESAC WebGeoCalc instance.

All SOC ancillary data products will also be archived and publicly available in the SOAR.



APPENDIX A

The code sample provided here is a reference implementation for the use of the spacecraft clock kernel written in Python - specifically, Python 2.7. The most recent version of this reference implementation can be found at <https://issues.cosmos.esa.int/solarorbiterwiki/x/bwXz>. NAIF does not provide an official Python API for the toolkit, so here we make use of the *spiceypy* library. This library can be found at <https://pypi.python.org/pypi/spiceypy>.

We recommend the use of Anaconda data science platform (<https://www.continuum.io/downloads>), which will allow you to easily create a Python 2.7 environment with the needed libraries (*spiceypy* in this case).

To perform the time translation two SPICE kernels are needed:

- Leap seconds kernel: currently *naif0012.tls*, which can be found [here](#).

The file is provided by NAIF via the ESA SPICE service: <ftp://spiftp.esac.esa.int/data/SPICE/SOLAR-ORBITER/kernels/lsk> and will be occasionally updated when new leap seconds are known.

- Spacecraft clock kernel: [solo ANC soc-sclk 20000101 20160712 V01.tsc](#)

This file is provided by the Solar Orbiter SOC and it will be frequently updated. The version linked above is the one used currently for SOC testing

For both the above kernels, it is instrument team responsibility to ensure provision of the up-to-date kernels to the software.



Python Code

```
import spiceypy

# Provided by Solar Orbiter SOC
# Version: 1.0
# Date: 09-Aug-2016
class SpiceManager:

    # SOLAR ORBITER naif identifier
    solar_orbiter_naif_id = -144

    def __init__(self, tls_filename, sclk_filename):
        spiceypy.furnsh(tls_filename)
        spiceypy.furnsh(sclk_filename)

    def obt2utc(self, obt_string):
        # Obt to Ephemeris time (seconds past J2000)
        ephemeris_time = spiceypy.scs2e(self.solar_orbiter_naif_id, obt_string)
        # Ephemeris time to Utc
        # Format of output epoch: ISOC (ISO Calendar format, UTC)
        # Digits of precision in fractional seconds: 3
        return spiceypy.et2utc(ephemeris_time, "ISOC", 3)

    def utc2obt(self, utc_string):
        # Utc to Ephemeris time (seconds past J2000)
        ephemeris_time = spiceypy.utc2et(utc_string)
        # Ephemeris time to Obt
        return spiceypy.sce2s(self.solar_orbiter_naif_id, ephemeris_time)
```

Examples Using the Above Code

```
# Load spice kernels files
tls_filename = "<<your_path>>\naif0012.tls"
sclk_filename = "<<your_path>>\solo_ANC_soc-sclk_20000101_20160712_V01.tsc"

# Initialise class
spicemanager = SpiceManager(tls_filename, sclk_filename)

# Execute conversions

obt = "0"
utc = "2000-01-01T00:00:00.000"
print "OBT {0} -> UTC {1}".format(obt, spicemanager.obt2utc(obt))
# Returns OBT 0 -> UTC 2000-01-01T00:00:00.000
print "UTC {0} -> OBT {1}".format(utc, spicemanager.utc2obt(utc))
# Returns UTC 2000-01-01T00:00:00.000 -> OBT 1/0000000000:00000

obt = "521651623:37539"
utc = "2016-194T15:13:46.381"
print "OBT {0} -> UTC {1}".format(obt, spicemanager.obt2utc(obt))
# Returns: OBT 521651623:37539 -> UTC 2016-07-12T15:13:46.381
print "UTC {0} -> OBT {1}".format(utc, spicemanager.utc2obt(utc))
# Returns: UTC 2016-194T15:13:46.381 -> OBT 1/0521651623:37539
```



APPENDIX B

Coordinate system definitions. TBW